



Hoisting Stretcher

Transportation of injured personnel within maritime environment



The hoisting stretcher can be packed into a rucksack for easy storing and transportation.

The hoisting stretcher has been developed to transport injured personnel within the maritime environment. It is developed in co-operation with surgeon command H. O. Bisgaard-Frantzen, The Danish Navy special forces.

Details:

Load:Horizontal test: 600 kg / 45 degrees test: 600 kg / Vertical test: 300 kg
 Fabric:Fire resistant tarpaulin, M2 approved, sea water resistant aluminium tubes
 Lifting straps:Included for horizontal, vertical and 45 degrees lift
 Back support:Integrated
 Fixation of patient:Double flaps, 4 horizontal straps, 2 vertical straps, foot strap, inflatable bags
 Hypothermia protection of patient:Double flaps, neoprene hood, spray hood
 Floatation ability:Turns around automatically and floats with patient's face up
 Storage back:Rucksack included

Dimensions and weight

Measurement, assembled:214x80/44x10 cm
 Measurement, folded:76x48x16 cm
 Weight:Stretcher: 21,5 kg / Rucksack 1,3 kg

Approvals

CE marked

Lotek - Hoisting Stretcher - 040110



- et selskab i GD-Gruppen

Lotek A/S, Bohrsvej 7, DK-8600 Silkeborg, Tel. +45 70 13 52 00, Fax +45 86 80 32 39, www.lotek.dk, mabe@lotek.dk

